

EuroIam in association with Hyundai Inc

**EuroIam**<sup>TM</sup>  
ACRYLIC LAMINATES

**HYUNDAI**  
L & C

[www.bansalsales.net](http://www.bansalsales.net)



**BANSAL** Sales Corporation Pvt. Ltd.

REG @2023(EuroIam) EuroIam<sup>TM</sup> – All rights reserved. EuroIam expressly disclaims any representation or warranties of any kind, whether express or implied, as to the accuracy, currency, completeness and/or the merchantability or fitness for a particular purpose of any information contained in or provided via this documentation and/or any service or product described or promoted in this document. It is the customers responsibility to thoroughly examine the product by a qualified person, to determine whether it is suitable for the application it was purchased for. EuroIam acrylic is for indoor use only and should not be exposed to direct sunlight in any form. EuroIam / EuroIamS is a registered trademark. Images and colours should be used as guide only. EuroIam warrants that its products are free from manufacturing defects and they are suitable for use under normal conditions. Product must be inspected prior to installation. In case of any claims, The liability of the company is limited to the cost of the product only. Decorative acrylic sheets are translucent in nature and should be pasted on plain side of calibrated surface. Use suitable adhesive for pasting these sheets. The information provided on this sheet represents typical properties and does not constitute a specification. No liability will be accepted for errors and omissions. EuroIam also retains the right to change sizes and specifications of the products without prior notice.

**INDIA'S LARGEST  
ACRYLIC COLLECTION**

**EuroIam**<sup>TM</sup>  
ACRYLIC LAMINATES

**REFLEX**  
GLOSS ACRYLIC LAMINATES

**2024**  
COLLECTION

**EuroIam**<sup>TM</sup>  
ACRYLIC LAMINATES

**2024**  
COLLECTION



A **collection** that reflects  
**simplicity**, with an  
updated touch of new  
contemporary formats that  
follow current **world wide**  
trends.



***Eurolam***<sup>TM</sup>  
ACRYLIC LAMINATES




Eurolam Decor designs interior that caters to every dream. For every expression, we have these design of acrylic Sheets available. Based on the latest trends, we offer a variety of textures. Get ready to amp up the glamour of your dream projects with this collection. Eurolam Decor is committed to offer excellence in customer's demands and service. with our products, we make sure their satisfaction remains steadfast. The company's network is spread all over India. We make pure and organic laminate sheets that bond best with Substrates. We pride ourselves on having more than the routine and better than the usual decor otions in market. Providing latest colour and metal trends and surface structures from throughout the world, we bring our nation the coolest decor trends. Our surfaces allow you to feel the difference while selecting for all specific applications. We are also proud to be a participant in manufacturer environmental approved products and bring better changes in the world we live in. Serving you with love and on time!



ULTRA VOGUE

	AS 3001	CHANTILLY LACE	2
	AS 3002	IRISH CREME	3
	AS 3003	WELSH FLINT	6
	AS 3004	CHIFFON WHITE	2
	AS 3005	POLAR WHITE	2
	AS 3006	DUCK WHITE	2
	AS 3007	GREY BEIGE	4
	AS 3008	TOQUE WHITE	2
	AS 3011	BISQUE	4
	AS 3012	NATURAL CALICO	4
	AS 3013	NATURAL BIRCH	3
	AS 3014	SEPIA	4
	AS 3015	THUNDER GREY	9
	AS 3016	RHINO	3
	AS 3017	GREY STONE	6
	AS 3018	ARMOR	6
	AS 3019	GOLDEN NUDE	6
	AS 3020	AFRICAN MUSK	3
	AS 3021	SHADOW	6
	AS 3022	SACRAMENTO	8
	AS 3023	COASTAL STORM	6
	AS 3024	JET BLACK	8
	AS 3025	NOBEL	6
	AS 3026	PEARL GREY	6
	AS 3031	GLACIER BLUE	8
	AS 3032	YALE BLUE	8
	AS 3033	TIFFANY	8
	AS 3034	CORAL	8
	AS 3035	TEAL	9
	AS 3041	TURQUOISE BLUE	9
	AS 3042	SEAFOAM	9
	AS 3043	TURKISH BLUE	8
	AS 3045	SHEEN GREEN	9
	AS 3046	OCEAN	8
	AS 3051	AMARANTH	10
	AS 3052	CARNATION	9
	AS 3053	ROSE DUST	10

ULTRA VOGUE

	AS 3054	SWEET PINK	9
	AS 3055	JAZZBERRY	10
	AS 3061	VERMILION	10
	AS 3071	BARLEY SPARK	10
	AS 3072	HERON PLUME	2
	AS 3073	NOSTALGIA	12
	AS 3074	MOCCASIN	11
	AS 3075	ROYAL GLITTER	11
	AS 3076	DIJON	11
	AS 3077	SPARKLING SILVER	11
	AS 3078	FLAXEN	11
	AS 3081	MUSK CREME	12
	AS 3081	SNOW BOUND	2
	AS 3082	CHOCO GALAXY	12
	AS 3083	TOFFEECHOO GREY	12
	AS 3084	ELECTRIC BROWN	12



















ULTRA TREND

	AS 3091	THUNDER MARBLE	16
	AS 3092	LINES MARBLE	16
	AS 3093	JUST STONE	17
	AS 3094	FINE MARBLE	17
	AS 3095	SHUSH BROWN	18
	AS 3096	BRIGHT BRUSH	18
	AS 3097	MARBLE PRINT	18
	AS 3098	DARK MARBLE	17
	AS 3101	SILVER MARBLE	19
	AS 3102	GOLDEN MARBLE	19
	AS 3103	GLORIOUS MARBLE	19
	AS 3104	MASCU LINE MARBLE	20
	AS 3105	FLORAL MARBLE	20
	AS 3106	GREY STONE MARBLE	20

ULTRA MIRROR

		COPPER MIRROR	24
		GOLD MIRROR	24
		ROSE GOLD MIRROR	24
		SILVER MIRROR	24

SOFT TOUCH

	AS 4001	ICE VERY	28
	AS 4006	TRUE WHITE	28
	AS 4007	FAIR FIG	28
	AS 4011	MUD SPLASH	28
	AS 4012	LIME CREME	28
	AS 4014	TOFFEE BROWN	28
	AS 4016	RITE BROWN	28
	AS 4017	ULTRA BROWN	29
	AS 4018	URBAN BROWN	29
	AS 4020	SWEET BROWN	29
	AS 4022	NIGHTY NIGHT	29
	AS 4023	TRUE BROWN	29
	AS 4025	GREY MAN	29
	AS 4026	SWOOSH CREME	29
	AS 4031	TEAL BLUE	30
	AS 4034	TEAL DARK	30
	AS 4043	BRITISH GREEN	30
	AS 4045	PERSIAN GREEN	30
	AS 4046	BRUNT GREEN	30










ULTRA GLASS

		ARCTIC WHITE	33
		CALCUTTA MARBLE	34
		CARBON	33
		COPPER	34
		FOREST	34
		GLACIER	34
		MACHIATTO	33
		MOCHA	33
		SAFARI	33
		SAHARA	33
		TUSK	34
		VINTAGE MIRA	34

ULTRA GLOSS AX

	UG AX	ALABASTER	37
	UG AX	ARCTIC WHITE	37
	UG AX	BLACK	39

ULTRA GLOSS AX

	UG AX	BURGUNDY	38
	UG AX	CAPPUCHINO	38
	UG AX	CREME	37
	UG AX	GOLD METALLIC	40
	UG AX	GRAPHITE	39
	UG AX	GRAPHITE METALLIC	40
	UG AX	GREY	39
	UG AX	MOCHA	38
	UG AX	RED	38
	UG AX	SAHARA	37
	UG AX	SILVER METALLIC	39
	UG AX	SLATE	39
	UG AX	VERDE	38
	UG AX	WHITE	37
	UG AX	WHITE METALLIC	40
	UG AX	WINE METALLIC	40

ULTRA MATT AX

	UM AX	ALABASTER	43
	UM AX	ARCTIC WHITE	43
	UM AX	BLACK	44
	UM AX	CAPPUCHINO	44
	UM AX	CREME	43
	UM AX	GOLD METALLIC	44
	UM AX	MOCHA	44
	UM AX	SAHARA	43
	UM AX	SLATE	44
	UM AX	WHITE	43


















ULTRA SATIN

	US AX	ARGENTI	46
	US AX	AURUM	46
	US AX	GRAPHIEN	46
	US AX	GRESIO	46
	US AX	SCANDIA	46

ULTRA METAL

	ULT APZ-05	GOLD CRACK	60
	ULT APZ-14	METAL WEAVE GREY	60
	ULT APZ-18	METAL WEAVE	60

ULTRA MATT AX

	ULT NS-116	METAL WOOD DARK	57
	ULT NS-117	METAL WOOD LIGHT	57
	ULT NS-601	PATINA METAL	56
	ULT NS-602	METAL COAL	56
	ULT RM-001	TIN METAL	59
	ULT RM-003	METAL GROW	58
	ULT RM-004	REAL METAL	59
	ULT RM-005	NATURAL METAL	59
	ULT RM-006	A-ONE METAL	58
	ULT RM-007	HIGH METAL	57
	ULT RM-008	MASS METAL	58
	ULT RM-009	METAL DROP	57
	ULT RM-011	RICH METAL	58
	ULT RM-012	METAL WOOD	59
	ULT RM-014	PRINT METAL	56
	ULT RM-022	BRUSH METAL	56
	ULT RM-051	PATTERNED METAL	60

ULTRA MARBLE

	ULT NS-118	WHITE MARBLE	68
	ULT NS-804	NERO MARQUINA	68
	ULT NS-806	TRAVERTINE	68
	ULT NS-814	ARABESCATO	64
	ULT NS-815	SATVARIO	64
	ULT NS-895	BIANCO MARQUINA	64
	ULT PM-003	WHITE ONYX	66
	ULT PM-004	GREY TERRAZZO	67
	ULT PM-006	PIETRA MARBLE	69
	ULT PM-007	PIETRA MARBLE DARK	69
	ULT PM-009	BASALTINA DARK	69
	ULT PM-010	BASALTINA	69
	ULT PM-013	TUNDRA	66
	ULT PM-015	FIOR DI BOSCO	67
	ULT PM-017	BIANCO BIEGE	70
	ULT PM-018	BIANCO GREY	70

ULTRA FABRIC

	ULT NS-105	CROSS FABRIC	74
	ULT NS-106	KNITTED FABRIC	74

ULTRA MARBLE

	ULT NS-809	WEAVE FABRIC	75
	ULT NS-810	GRAPHED FABRIC	75
	ULT NS-816	PURE FABRIC	76
	ULT NS-817	LIGHT FABRIC	76
	ULT NS-818	SLATE FABRIC	76
	ULT NS-891	FINE FABRIC	75
	ULT NS-892	JHAAL FABRIC	75

ULTRA FLUTED

6001		79
6002		79
6003		79
6004		80
6005		80
6006		80
6007		80
6008		81
6009		81
6010		81
6011		81
6012		82
6013		82





# ULTRA VOGUE

## ULTRA VOGUE

Eurolam 1.5 mm is a uniquely engineered product that incorporates the benefit of a thinner competitively priced product with a more durable impact resistant material. Our 1.5mm superior irresistible acrylic allows for one product to take the place of two by allowing the designer to use 1.5mm acrylic in kitchens and bedrooms even in the most high impact areas. Eurolam's 1.5mm striking acrylic is the answer for all your design and application requirements. This one gives you unlimited possibilities for combining our decor to any of our premium sheet.

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Film thickness : 0.17mm | Sheet size : 1220×2440mm | Sheet thickness : 1.5mm



**Scratch Resistance**  
Superior resistance to scratch  
6H, abrasion and impact



**Maximum banding**  
Banding with proper knowledge,  
and application on corners will not  
cause damage to the products.



**Stain Resistance**  
Easy to clean with soap  
& water



**Ideal for Vertical Applications**  
This decor is suggested for  
vertical applications






AS-3072

# ULTRA VOGUE

1.5 MM




AS 3001 • CHANTILLY LACE




AS 3004 • CHIFFON WHITE




AS 3005 • POLAR WHITE




AS 3081 • SNOW BOUND



AS 3072 • HERON PLUME




AS 3008 • TOQUE WHITE



AS 3006 • DUCK WHITE






AS 3002 • IRISH CREME



AS 3013 • NATURAL BIRCH




AS 3020 • AFRICAN MUSK




AS 3016 • RHINO



AS 3012 • NATURAL CALICO



AS 3007 • GREY BEIGE



AS 3011 • BISQUE



AS 3014 • SEPIA







AS-3003

# ULTRA VOGUE

1.5 MM



AS 3019 • GOLDEN NUDE



AS 3017 • GREY STONE



AS 3026 • PEARL GREY




AS 3023 • COASTAL STORM



AS 3025 • NOBEL



AS 3021 • SHADOW



AS 3003 • WELSH FLINT



AS 3018 • ARMOR






# ULTRA VOGUE

1.5 MM



AS 3024 • JET BLACK



AS 3022 • SACRAMENTO



AS 3043 • TURKISH BLUE




AS 3031 • GLACIER BLUE



AS 3034 • CORAL



AS 3033 • TIFFANY



AS 3046 • OCEAN



AS 3032 • YALE BLUE






AS 3041 • TURQUOISE BLUE



AS 3035 • TEAL



AS 3045 • SHEEN GREEN



AS 3054 • SWEET PINK




AS 3052 • CARNATION




AS 3015 • THUNDER GREY




AS 3042 • SEAFOAM



AS 3055 • JAZZBERRY



AS 3053 • ROSE DUST



AS 3071 • BARLEY SPARK




AS 3061 • VERMILION



AS 3051 • AMARANTH







AS 3076 • DIJON




AS 3077 • SPARKLING SILVER




AS 3074 • MOCCASIN




AS 3073 • NOSTALGIA




AS 3081 • MUSK CREME



AS 3082 • CHOCO GALAXY




AS 3078 • FLAXEN



AS 3075 • ROYAL GLITTER



AS 3084 • ELECTRIC BROWN



AS 3083 • TOFFEECHOO GREY



# ULTRA TREND

## ULTRA TREND

Eurolam 1.5 mm is a uniquely engineered product that incorporates the benefit of a thinner competitively priced product with a more durable impact resistant material. Our 1.5mm superior irresistible acrylic allows for one product to take the place of two by allowing the designer to use 1.5mm acrylic in kitchens and bedrooms even in the most high impact areas. Eurolam's 1.5mm striking acrylic is the answer for all your design and application requirements. This one gives you unlimited possibilities for combining our decor to any of our premium sheet.

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Film thickness : 0.17mm | Sheet size : 1220×2440mm | Sheet thickness : 1.5mm



**Scratch Resistance**  
Superior resistance to scratch  
6H, abrasion and impact



**Maximum banding**  
Banding with proper knowledge,  
and application on corners will not  
cause damage to the products.



**Stain Resistance**  
Easy to clean with soap  
& water



**Ideal for Vertical Applications**  
This decor is suggested for  
vertical applications





AS-3092 | AS-3021

# ULTRA TREND

1.5 MM




AS 3091 • THUNDER MARBLE



AS 3092 • LINES MARBLE






AS 3094 FINE MARBLE



AS 3093 JUST STONE



AS 3098 DARK MARBLE



AS 3095 SHUSH BROWN



AS 3096 BRIGHT BRUSH



AS 3097 MARBLE PRINT





AS 3101 • SILVER MARBLE




AS 3103 • GLORIOUS MARBLE



AS 3104 • MASCU LINE MARBLE



AS 3105 • FLORAL MARBLE



AS 3102 • GOLDEN MARBLE



AS 3106 • GREY STONE MARBLE



COMING  
SOON

COMING  
SOON

COMING  
SOON

COMING  
SOON

COMING  
SOON

COMING  
SOON

COMING  
SOON

COMING  
SOON





# ULTRA MIRROR

Save yourselves some efforts and money to bring any space a very classy look. Easier to cut to size compared to glass or other products, these sheets will give the exact same effect. Offering timeless options for processing, here Eurolam presents the Ultra Mirror Collection.

Sheet size : 1220×2440mm | Sheet thickness : 1.5mm



**Scratch Resistance**  
Superior resistance to scratch abrasion and impact



**Superior Mirror**  
Maximum gloss level than any other surface decor




**Stain Resistance**  
Easy to clean with soap & water



**Ideal for Vertical Applications**  
This decor is suggested for vertical applications



ROSE GOLD MIRROR



SILVER MIRROR



COPPER MIRROR



GOLD MIRROR



# SOFT TOUCH

## SOFT TOUCH

What comes after the sight? Yes, that is the touch and feel that you sense while touching or experiencing a surface. Soft touch is specifically crafted Acrylic sheets to give your touch senses a velvet- like feel. Embrace your decor with this products made with extra care.

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Film thickness : 0.17mm | Sheet size : 1220×2440mm | Sheet thickness : 1.5mm



### Scratch Resistance

Superior resistance to scratch  
6H, abrasion and impact



### Surface Smooth

The premium feel of touch  
and feel!



### Stain Resistance

Easy to clean with soap  
& water



### Ideal for Vertical Applications

This decor is suggested for  
vertical applications





AS-4006 | AS-4012



AS 4001 • ICE VERY



AS 4006 • TRUE WHITE



AS 4007 • FAIR FIG




AS 4011 • MUD SPLASH



AS 4012 • LIME CREME



AS 4014 • TOFFEE BROWN



AS 4016 • RITE BROWN






AS 4017 • ULTRA BROWN



AS 4018 • URBAN BROWN



AS 4020 • SWEET BROWN




AS 4031 • TEAL BLUE




AS 4034 • TEAL DARK




AS 4043 • BRITISH GREEN




AS 4022 • NIGHTY NIGHT



AS 4023 • TRUE BROWN




AS 4025 • GREY MAN



AS 4026 • SWOOSH CREME



AS 4046 • BRUNT GREEN



AS 4045 • PERSIAN GREEN



# ULTRA GLASS

## ULTRA GLASS

Choose any of the following products for larger and wider application. This collection is most suitable for wide areas exposing a plain wall surface or a large panel of wardrobes or area like kitchen, television cabinet. Add a pinch on the effect of beauty to your scape!

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Film thickness : 0.17mm | Sheet size : 1220×2440mm | Sheet thickness : 2mm



### Scratch Resistance

Superior resistance to scratch  
6H, abrasion and impact



### Sheer Shine

Super transparent and shiny  
surfaces for a royal look.



### Stain Resistance

Easy to clean with soap  
& water



### Ideal for Vertical Applications

This decor is suggested for  
vertical applications





MOCHA



MACHIATTO




ARCTIC WHITE



FOREST



TUSK



GLACIER



VINTAGE MIRA



SAHARA



SAFARI



CARBON



COPPER



CALCUTTA MARBLE



# U L T R A G L O S S   A X

## ULTRA GLOSS AX

Completely different from other acrylics, Ultra Gloss is our specially designed featured range. Falling into the special category of Homogeneous series. Ultra Gloss is designed with many layers and is an imported quality range.

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces •  
TV unit • Furniture

Sheet size : 1220×2440mm | Sheet thickness : 1mm



**Scratch Resistance**  
Superior resistance to scratch  
6H, abrasion and impact



**Superior Gloss**  
Maximum gloss level than any  
other surface decor




**Stain Resistance**  
Easy to clean with soap  
& water




**Ideal for Vertical Applications**  
This decor is suggested for  
vertical applications





UG AX • WHITE



UG AX • ARCTIC WHITE




UG AX • VERDE




UG AX • RED




UG AX • BURGUNDY




UG AX • ALABASTER



UG AX • SAHARA



UG AX • CREME




UG AX • CAPPUCHINO




UG AX • MOCHA






UG AX • GREY




UG AX • GRAPHITE



UG AX • WHITE METALLIC




UG AX • GOLD METALLIC



UG AX • BLACK




UG AX • SLATE



UG AX • SILVER METALLIC



UG AX • WINE METALLIC



UG AX • GRAPHITE METALLIC



# ULTRA MATT AX

## ULTRA MATT AX

Eurolam 1mm Scratch resistant is a uniquely engineered product that incorporates the benefit of a thinner competitively priced product with a more durable impact resistant material. Our 1mm superior scratch and impact resistant acrylic allows for one product to take the place of two by allowing the designer to use 1mm acrylic in kitchens and bedrooms even in the most abusive and high impact areas. Eurolam's 1mm scratch resistant acrylic is answer for all your design and application requirements.

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Sheet size : 1220×2440mm | Sheet thickness : 1mm



**Scratch Resistance**  
Superior resistance to scratch  
6H, abrasion and impact



**Plainly Solid**  
A touch that feels plain yet  
pleasant.




**Stain Resistance**  
Easy to clean with soap  
& water



**Ideal for Vertical Applications**  
This decor is suggested for  
vertical applications





UM AX • WHITE

UM AX • ARCTIC WHITE

UM AX • ALABASTER

UM AX • CREME

UM AX • SAHARA

UM AX • CAPPUCHINO

UM AX • MOCHA

UM AX • GOLD METALLIC

UM AX • SLATE

UM AX • BLACK



# U L T R A S A T I N

## ULTRA SATIN

Revamp your spaces and change them into vibrant ones that buzz with active satin vibes. Let all the hues appear through out the place and accept some chic vibe. Be it kids' rooms or the living rooms or even the bed spaces, Ultra Satin fixes in everywhere just perfectly and suits even more than the regular ones. This one adds some meditative energy

Sheet size : 1220×2440mm | Sheet thickness : 1mm



**Scratch Resistance**  
Superior resistance to scratch abrasion and impact



**Slip a Bit**  
Let your fingers slip under your fingertips!



**Stain Resistance**  
Easy to clean with soap & water



**Ideal for Vertical Applications**  
This decor is suggested for vertical applications



US AX • AURUM




US AX • ARGENTI



US AX • SCANDIA



US AX • GRESIO



US AX • GRAPHIEN

ULTRA SATIN  
1 MM



***Eurolam***<sup>TM</sup>  
ACRYLIC LAMINATES

in association with



Suits any taste and decor, our Acrylic collection offers a great diversity for all types of designs. Let's celebrate life becoming a culture.



Certified and tested product | Better scratch resistance  
Actual thickness | Long lasting | HD colours

Not all colours are available in all regions.  
Due to the nature of the printing process, the colours depicted  
in the brochure may vary compared to actual samples.  
Printed colours and images are to be used as a guide only.  
EUROLAM REFLECTIONS 2023 – MADE FOR INDIA







Top Grade Healthy Building Material

Stop worrying about the smell of adhesive after the construction.  
Bodaq Interior Film has the highest level of harmlessness in the industry.



Interior film, which is widely used in households,  
must be certified for the interior mark from the Ministry of Environment.  
(Applied to multi-use facilities such as apartments from December 23, 2016)

Hyundai Films the best eco-friendly certified product,

Being an excellent substitute to the traditional glass paneling or glass decoration, Acrylic sheets are 100 times more efficient and practical. Surprising, but true that the sheets are thirty times stronger than glass or any other similar products for that matter. And molded acrylic sheets are even more capable to strength. Greater flexibility and lesser breakage risks make these products precious and more in demand.

Environment

We pay attention to nature

Hyundai L&C's BODAQ is an eco-friendly film that care about healthy environment.

- Free from harmful heavy metals (lead, cadmium, mercury, hexavalent chromium, etc)
- Formaldehyde [HCHO], the substance that causes sick house syndrome, is not released.
- Minimized release of volatile organic compounds [TVOC, toluene, etc]
- It meets the safety standard [KF mark standard] applied to wallpaper and paperboard.
- Meets the safety requirements for hazardous chemicals in the Common Safety Standards of Children's Products.
- Excellent antimicrobial and anti-mold function, which helps to maintain a pleasant surrounding environment.

Heavy metal (Pb, Cd, Hg, CrVI)		Formaldehyde (HCHO)		Phthalate	
Standard		Standard		Standard	
[ Pb ] 5mg/kg [ Cd ] 0.5mg/kg [ Hg ] 2mg/kg [ CrVI ] 1mg/kg	None detected	0.12mg/m2h	None detected	[DEHP] less than 0.1% [DBP] less than 0.1% [BBP] less than 0.1%	None detected


Hazardous chemicals' criteria for the Common Safety Standards for Children's Products

Hazardous Substances ( Sb, As, Ba, Cd, Cr, Pb, Hg, Se)			
Standard		Standard	
[ Sb ] 60mg/kg [ As ] 25mg/kg [ Ba ] 1000mg/kg [ Cd ] 75mg/kg	Satisfactory	[ Cr ] 60mg/kg [ Pb ] 90mg/kg [ Hg ] 60mg/kg [ Se ] 500mg/kg	Satisfactory

Safety

We pay attention Safety

BODAQ is a safe interior film that can be used in any environment with excellent flame retardancy and stability.



Obtain the certificate, Introduction of company for biding construction projects, construction guide  
of our products by inquiring with our head office or distributor.





Hyundai antibacterial interior film\* is applied with a natural antibacterial agent. It is a functional product that has acquired FITI SF certification. (\*Hyundai antibacterial interior film is a special order pattern, and certification is valid only on applicable products)

1



**Hyundai antibacterial interior film**  
Our products undergo 5 different "microorganism antibacterial" power tests.

\* Inspection agency: FITI Testing & Research Institute

		BLANK	RESULT
Staphylococcus aureus	initial bacterial count	$2.0 \times 10^4$	-
	24 hours later	$3.3 \times 10^4$	< 0.63
	antibacterial activity	-	4.7
Escherichia coli	initial bacterial count	$1.2 \times 10^4$	-
	24 hours later	$1.1 \times 10^4$	$13 \times 10^2$
	antibacterial activity	-	3.9
Pneumonia	initial bacterial count	$1.6 \times 10^4$	-
	24 hours later	$5.1 \times 10^2$	$2.0 \times 10^2$
	antibacterial activity	-	3.4
Salmonella	initial bacterial count	$1.3 \times 10^4$	-
	24 hours later	$4.0 \times 10^2$	< 0.63
	antibacterial activity	-	5.8
MRSA	initial bacterial count	$1.1 \times 10^4$	-
	24 hours later	$5.2 \times 10^4$	< 0.63
	antibacterial activity	-	4.9

\* Test conditions: In accordance with the test method of JIS Z 2801: 2010 (film adhesion method)

\* Criteria for judging antibacterial effect (specific standards specified): Antibacterial activity log 2 or higher (99% or higher)

3



**Hyundai antibacterial interior film**  
We, at Eurolam Decor, are concerned about safety and all our antibacterial agents have been verified under safety meters.

\* Inspection agency: JFRL (Japan Food Analysis Center)

PHYSICAL SAFETY	CHARACTERISTIC	RESULT	test report
acute oral toxicity test	Toxic when ingested test	Safety area LD50 Value = 2000mg / kg	No. 209030367-0025
skin irritation test	Prolonged contact inflammation test	Safety area Primary irritation factor 0.8	#  209030367-001
skin sensitization test	skin allergy reaction test	Safety area No skin sensitization	No. 209030367-00400
mutagenicity test (using microorganisms reverse mutation test)	Gene DHA impact test	Safety area related colony no increase	No. 209030367-003


\* Test conditions: In accordance with the OECD Guidelines for the Testing of Chemicals

- Acute oral toxicity: according to OECD TG420 (2001)
- Skin irritation test: according to OECD TG404 (2002) and ISO10993-10 (2010)
- Skin sensitization test: according to the use of the Maximization method
- Mutagenicity test: OECD TG471, OECD TG472

2



**Hyundai antibacterial interior film**  
All products are 100% natural antibacterial products.



The Hyundai antibacterial interior film contains a natural antibacterial agent with a porous structure. Hygienic state of the film by suppressing harmful bacteria that can proliferate on the film surface can keep.

4



**Hyundai antibacterial interior film**  
Supporting the growth of resource recycling society, we are proud member of green earth!



A natural antibacterial agent using discarded scallop shells was applied.



# ULTRA METAL

The most appealing and functional interior solution! Every modern living should meet the three basics: usefulness, comfort, and style. These Metallic Laminates are fully redefined for the same.

## ULTRA METAL

Provide some aesthetic ways to colour your interior projects. These eye- catchy Ultra Metal acrylic sheets will be there upgrading an overall appearance.

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Film thickness : 0.4mm | Sheet size : 1220×2440mm | Sheet thickness : 1.5mm



**Scratch Resistance**  
Superior resistance to scratch  
6H, abrasion and impact



**Cold Creation**  
Maximum gloss level than any  
other surface decor



**Stain Resistance**  
Easy to clean with soap  
& water



**Ideal for Vertical Applications**  
Let the surface feel colder  
and hotter to the touch!







ULT NS-601

# ULTRA METAL

1.5 MM



ULT RM-022 • BRUSH METAL



ULT RM-014 • PRINT METAL



ULT NS-602 • METAL COAL



ULT NS-601 • PATINA METAL





ULT RM-007 • HIGH METAL




ULT RM-009 • METAL DROP




ULT RM-003 • METAL GROW




ULT RM-006 • A-ONE METAL



ULT NS-116 • METAL WOOD DARK



ULT NS-117 • METAL WOOD LIGHT



ULT RM-011 • RICH METAL




ULT RM-008 • MASS METAL






ULT RM-001 • TIN METAL



ULT RM-005 • NATURAL METAL



ULT RM-051 • PATTERNED METAL



ULT APZ-05 • GOLD CRACK




ULT RM-004 • REAL METAL



ULT RM-012 • METAL WOOD



ULT APZ-18 • METAL WEAVE



ULT APZ-14 • METAL WEAVE GREY



# ULTRA MARBLE

## ULTRA MARBLE

Our acrylics are more than just colours, and are super textures, too! Hyundai films doesn't consume chemicals and so it is more than decor. It creates a scenic sight. Where the whole market is behind solid colours, our products are more than metal, colours and anything else!

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Film thickness : 0.4mm | Sheet size : 1220×2440mm | Sheet thickness : 1.5mm



### Scratch Resistance

Superior resistance to scratch  
6H, abrasion and impact



### Translucent

Great density and hardness  
to the bounce!



### Stain Resistance

Easy to clean with soap  
& water



### Ideal for Vertical Applications

This decor is suggested for  
vertical applications





ULT NS-814

ULTRA MARBLE

1.5 MM



ULT NS-814 • ARABESCATO




ULT NS-815 • SATVARIO



ULT NS-895 • BIANCO MARQUINA



ULT PM-003



## ULTRA MARBLE

1.5 MM



ULT PM-003 • WHITE ONYX



ULT PM-013 • TUNDRA






ULT PM-015 • FIOR DI BOSCO



ULT PM-004 • GREY TERRAZZO



ULT NS-804 • NERO MARQUINA



ULT NS-118 • WHITE MARBLE



ULT NS-806 • TRAVERTINE






ULT PM-007 • PIETRA MARBLE DARK



ULT PM-006 • PIETRA MARBLE



ULT PM-010 • BASALTINA



ULT PM-009 • BASALTINA DARK



ULT PM-017 • BIANCO BIEGE



ULT PM-018 • BIANCO GREY



# ULTRA FABRIC

## ULTRA FABRIC

The most effective way to give a space refreshing and out of the routine look. Ultra Fabric sheets provide rich and smooth texture to any properties, even old ones. Fabric sheets are a popular choice of the people looking to remodel their spaces the most trendy way!

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Film thickness : 0.4mm | Sheet size : 1220×2440mm | Sheet thickness : 1.5mm



**Scratch Resistance**  
Superior resistance to scratch  
6H, abrasion and impact



**Shiny Rough**  
A great texture for a shiny  
rough feel!



**Stain Resistance**  
Easy to clean with soap  
& water



**Ideal for Vertical Applications**  
This decor is suggested for  
vertical applications







ULT NS-105

## ULTRA FABRIC

1.5 MM




ULT NS-105 • CROSS FABRIC




ULT NS-106 • KNITTED FABRIC






ULT NS-891 • FINE FABRIC




ULT NS-892 • JHAAL FABRIC



ULT NS-816 • PURE FABRIC



ULT NS-809 • WEAVE FABRIC



ULT NS-810 • GRAPHED FABRIC



ULT NS-817 • LIGHT FABRIC



ULT NS-818 • SLATE FABRIC





# ULTRA FLUTED

Eurolam 2.5 mm is a uniquely engineered product that incorporates the benefit of a thinner competitively priced product with a more durable impact resistant material. Our 2.5mm superior irresistible acrylic allows for one product to take the place of two by allowing the designer to use 1.5mm acrylic in kitchens and bedrooms even in the most high impact areas. Eurolam's 2.5mm striking acrylic is the answer for all your design and application requirements. This one gives you unlimited possibilities for combining our decor to any of our premium sheet.

Kitchen Shutters • Wardrobe • Doors and drawer fronts • Office spaces • TV unit • Furniture

Sheet size : 1220×2440mm | Sheet thickness : 2.5mm



**Scratch Resistance**  
Superior resistance to scratch  
6H, abrasion and impact



**Superior Mirror**  
Maximum gloss level than any  
other surface decor



**Stain Resistance**  
Easy to clean with soap  
& water




**Ideal for Vertical Applications**  
This decor is suggested for  
vertical applications






6001




6002



6003




6004



6006



6005



6007





6008



6009



6012



6013



6010



6011




6014



6015







EDGE  
BANDING




EB 3001




EB 3002




EB 3003




EB 3004




EB 3005



EB 3006




EB 3007




EB 3008




EB 3011




EB 3012



EB 3013



EB 3014



EB 3015




EB 3016



EB 3017



EB 3018




EB 3019



EB 3020



EB 3021



EB 3022




EB 3023



EB 3024



EB 3025



EB 3026

ULTRA BAND  
25X1.2 MM





EB 3031



EB 3032



EB 3033



EB 3076



EB 3077



EB 3078




EB 3034



EB 3035



EB 3041



EB 3081



EB 3082



EB 3083



EB 3042



EB 3043



EB 3045




EB 3084




EB 3091




EB 3092



EB 3046



EB 3051



EB 3052



EB 3093



EB 3094



EB 3095



EB 3053



EB 3054



EB 3055



EB 3096



EB 3097



EB 3098



EB 3061



EB 3071



EB 3072



EB 3101



EB 3102



EB 3103



EB 3073



EB 3074



EB 3075



EB 3104



EB 3105



EB 3106





## EUROLAM DECOR- PUTTING IT ALL TOGETHER FOR YOUR SPACE SOLUTIONS



### High resistance to heat

Optimized for performance, our laminates stand strong against high or adverse temperature. Advance technical modulation makes it fit for kitchen tops and corners exposed to direct sun rays.



### No stains

Achieve 4 times longer capacity of resisting stains and abrasions compared to other similar surfaces available in market.




### Carbon Footprints

Our consumers can be rest assured about using totally environment friendly products. We create innovative designs maintaining international safety and sustainability standards, leaving zero carbon footprints.



### Tested on gas toxicity

The raw material used in making of our products are all of high quality. While development and application, they never release unpleasant or dangerous odor!



### Overall safety and Pbbs

Quiet a number of processes happen on our products for quality inspections. Eurolam's sheets consist no dangerous components.



### Anti microbial tests

Molds and germs get no chance to show up on Eurolam's sheets With extra ordinary anti- microbial qualities, our products remain unaffected.



### Adhesive composites

Safety is our major concern through the surfaces we provide. When it comes to resilience and toughness, we assure the maximum strength.



### Tested by KLC for harmlessness

With being environment friendly, our products are also consumer- safe. All such metals are used in the production that ensures complete house- hold safety.



## EUROLAM DECOR- PUTTING IT ALL TOGETHER FOR YOUR SPACE SOLUTIONS



### Major savings on time and cost

While on accomplishing a project secretly, what one hates the most is to waste time on cutting, drilling or shaping the sheets on site. Eurolam acrylics saves your time on the same as its light weight and flexible to handle.



### Easy and effortless

Acrylic's low weight allows it to be transported easily and shipped easier. Expect less stress or breakages compared to other products while moving them around.



### Low Maintenance

Being completely protective against bacterias, heat, spills and abrasions, they are the least maintenance products. Any stain can be just wiped away with mild soap or water.



### Cleaning

Eurolam acrylic, as mentioned above, is easy to clean with damp cloth or mild soap, no strong chemicals are required or advisable. Some minor scratchings and scuffing can be easily removed by hand or with a micro fiber cloth.



### Quick installation

The installation of these sheets can be pasted with acrylic compact-able adhesives on a calibrated clean and dust free dry surface. Use of laminate bonding tapes also can be used for difficult areas.



### Proven performer

Eurolam Acrylic wins the performance criteria because it has a single infused acrylic core into one layer.


- There is no thin, inconsistent or patchy layer of paint.
- No fading or separation of colour layers.
- Minor scratches on the surface will not show through as on many of other products like glass or marble acrylics.



### Environment friendly

Leaving no impact to the environment, our products wholly manufactured under the Environment Management System. which has been independently accredited to ISO14001. The manufacturing process does not release and harmful emissions to the air, land or water.

Eurolam's acrylic is Hygienic.



### Maximum tensile Strength and thickness

Providing high- end durability, thickness and strength, our products become no. 1 insisted among buyers.



Tips for a better installation and maintenance :

1. Ensure the originality of products by checking the sticker on it before buying any of Eurolam Acrylic sheets.
2. Once you receive the product, check no product has been damaged in the transportation. Only after inspecting, proceed further for installation.
3. To avoid bubbles or wavy surface later, before installation, make sure the substrates (MDF, Particle Board, Plywood) is in good condition. Also check the surface is even and of similar thickness.
4. There should be no dust or grease on the surface. So, clean it with the help of a cloth before putting Eurolam Acrylic Sheet on it.
5. Use water based adhesives only and stir it well before using. Remember : Don't mix water in it.
6. To get the best bonding forever, apply the adhesive uniformly using a brush, roller or adhesive spreader on both the surfaces, base and acrylic sheet.
7. To be able to remove air between the acrylic sheet and the base, keep minimum 2mm gap between two laminates while applying. Use soft pinch roller or normal pressing technique and the pressing should be done from the middle of the panel and move towards the sided line and corners.
8. Full bonding strength is achieved only when given sufficient amount of pressing after adhesive application that is, minimum 12 to 15 hours.
9. After installation, remove the protective film within 7 to 15 days.

Do this :

1. Store the laminates in climate below 30 C temperature .
2. Clean the surface with water and with a non abrasive cloth. We recommend to clean with soft micro fiber cloth.
3. Use glossy surfaces only on vertical applications.

Don't do this :

1. Do not share Eurolam Acrylic sheet in a roll form.
2. Avoid using cleaners made with alcohol, solvent, petrol or oil. Using such cleaners may damage the surface of sheets.
3. Do. not use thinner on the surface of the sheet.
4. We strictly do not recommend to use Eurolam Acrylic Sheets for outdoor applications. UV rays may change the shape of sheet.

Avoid air bubbles or waves after application:

- Never mix water to adhesive. Use only water based adhesive.
- Surface must be even.
- Uncertain and frequently changing weather may cause laminates to absorb moisture and loose it again resulting in air bubbles.
- If Acrylic Laminates of size more than 8'\*2\* are used in paneling, they may end up having air bubbles.
- Lack of the time given to pressing leads to having air bubbles.
- Acrylic sheets should be kept evenly straight. If the sheets are in roll form, It should be kept straight for minimum 48 hours and then can be pressed for better results.

You are in the right hands!

Eurolam Decor are manufactured with aesthetics and durability in mind. when used as recommended, our laminates will last through the years. Eurolam Decor are easy to maintain. We design our sheets using the Typical internationally recognized technical standards.

- To remove more stubborn stains, use mild household cleansers, gently wipe down with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the Acrylic sheets.
- Do not place hot cookware directly on the laminate. Prolonged exposure to temperatures above 30 degree Celsius may cause damage to the laminate surface.
- UV rays may reshape the laminate. Avoid outdoor applications.
- Have a thickness balance of +/- 10%

Acrylic Sheets are the best options for blending edges.

To achieve a smooth and sleek look with a clear and sleek edge bending, Eurolam Acrylic sheets are the best solution. Gloss level is > 96 gloss points, and hence makes it a perfect classy choice. Monolithic look between board and edge gives it an again mastered finish. Also, there is a Wide range of colors combined with trending high gloss acrylic sheets. Acrylic edge- banding made with same colour foil of acrylic sheets keeps it sober.




Shake it well and lightly spray on the surface.



Wipe the surface clean using a light circular motion.



Please open the roll immediately. Do not pressurize while opening roll.



- Kitchen Shutters
- Wardrobe
- Doors and drawer fronts
- Office spaces
- Office spaces
- TV unit
- Furniture



# ENVIRONMENT STATEMENT

Eurolam is a co extruded, high gloss, rigid thermoplastic polymer sheet consisting of a thick water clear layer which is permanently fused to a high solids color layer. Eurolam is PMMA (polymethyl methacrylate) polymer which is completely inert and does not release any emissions to the environment. Eurolam acrylic is ultra hygienic and does not promote bacterial growth or transmission.

The unique properties of Eurolam acrylic make it ideally suited to new or refurbishment for interior vertical surfaces around the home, office or commercial environments. acrylic can be applied with a minimum of preparation over previously finished walls, reducing demolition waste and energy consumption.

Eurolam acrylic consists of Carbon, Hydrogen and Oxygen and is recyclable either by mechanical, chemical or thermal means. Eurolam can be ground and pelletized for reuse in sheet extrusion or injection molding. If correctly incinerated Eurolam produces only water and carbon dioxide. Eurolam can also be chemically reduced to its original monomer for use in other acrylic based products. Eurolam's unique color

layer is achieved without the use of secondary processes or VOC's. The color and clear layers will not separate under any conditions and are not affected by moisture in any way. Eurolam acrylic cannot rot and is not susceptible to termite attack.

Eurolam is half the weight of an equivalent glass panel and the therefore uses less energy during transportation and installation.

Eurolam will only consume around 10% of the original energy consumption during recycling. In contrast to glass which consumes more than 60% of its original energy consumption during recycling.

Eurolam is wholly manufactured under the Environmental Management System which has been independently accredited to ISO14001. The acrylic manufacturing process does not release any harmful emissions to air, land or water.

Additionally, the Eurolam manufacturing plant uses a compact footprint and is fully self contained.